SSN:	- PATIENT HEALTH QUESTION	INAIRE-9 (F	PHQ-9)		
Over the last 2 weeks, how of by any of the following proble your answer)	ten have you been bothered	Not at all	Several days	More than half the days	N e
		0	1	2	
1 Little interest or pleasure in doin	g things				
2. Feeling down, depressed, or hope	iess				
3. Trouble falling or staying asleep, o	r sleeping too much				
4. Feeling tired or having little energ	<i>y</i>				
5. Poor appetite or overeating					
6. Feeling bad about yourself — or the yourself or your family down	nat you are a failure or have let				
7. Trouble concentrating on things, s watching television	uch as reading the newspaper or				
8. Moving or speaking so slowly that the opposite — being so fidgety or n around a lot more than usual	other people could have noticed? Or estless that you have been moving				
9. Thoughts that you would be bette some way	r off dead or of hurting yourself in				
	FOR OFF	ICE CODIN	G 0 +	.++	
	•		=	Total Score:	
If you checked off any problems, things at home, or get along with	now difficult have these problems m	ade it for yo	ı to do your w	ork, take care	of

Developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke and colleagues, with an educational grant from Pfizer Inc. No permission required to reproduce, translate, display or distribute.

Name:	
Date:	
Last 4 SSN:	

PCL-5

Instructions: Below is a list of problems that people sometimes have in response to a very stressful experience. Please read each problem carefully and then circle one of the numbers to the right to indicate how much you have been bothered by that problem in the past month.

			Y	,	
In the past month, how much were you bothered by:	Not at all 0	A little Bit 1	Moderately 2	Quite a bit 3	Extremely 4
Repeated, disturbing, and unwanted memories of the stressful experience?					
Repeated, disturbing dreams of the stressful experience?					
Suddenly feeling or acting as if the stressful experience were actually happening again (as if you were actually back there reliving it)?					
4. Feeling very upset when something reminded you of the stressful experience?					
5. Having strong physical reactions when something reminded you of the stressful experience (for example, heart pounding, trouble breathing, sweating)?					
6. Avoiding memories, thoughts, or feelings related to the stressful experience?					
7. Avoiding external reminders of the stressful experience (for example, people, places, conversations, activities, objects, or situations)?					
8. Trouble remembering important parts of the stressful experience?					
9. Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)?					
10. Blaming yourself or someone else for the stressful experience or what happened after it?					
11. Having strong negative feelings such as fear, horror, anger, guilt, or shame?					
12. Loss of interest in activities that you used to enjoy?					
13. Feeling distant or cut off from other people?					
14. Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?					
15. Irritable behavior, angry outbursts, or acting aggressively?		· 🔲			
16. Taking too many risks or doing things that could cause you harm?					
17. Being "superalert" or watchful or on guard?					
18. Feeling jumpy or easily startled?					
19. Having difficulty concentrating?					
20. Trouble falling or staying asleep?					

D-7 Anxiety	,		
D / Alkiet	-	T	,
Not at all 0	Several days 1	More than half the days	Nearly every da 3
			<u> </u>
			ш
	<u> </u>		
Colu	mn totals _	++-	+_
Colu	mn totals _		
			core
ney made it fo		= Total so	core
vey made it fo Very [tionnaire (PRIME-M	r you to do difficult D-PHQ). The PHC zer at ris8@colun	= Total so your work, take o	core care of difficult
Very tionnaire (PRIME-Mion, contact Dr. Spitth permission	r you to do difficult D-PHQ). The PHC zer at ris8@colun	= Total so your work, take of Extremely L was developed by Drs. I	core care of difficult
Very tionnaire (PRIME-M ion, contact Dr. Spitth permission 7 Anxiety Sev	difficult D-PHQ). The PHC zer at ris8@colum	= Total so your work, take of Extremely L was developed by Drs. I	difficult
	Not at all 0		Not at all days half the days 1 2

10–14: moderate anxiety

15–21: severe anxiety

5-9: mild anxiety